

BARRAS REDONDAS DIMENSÕES E TOLERÂNCIAS AÇO LAMINADO

Dimensão nominal		Tolerâncias*	Ovalização*
acima de	até		
	14	± 0,40	0,64
14	18	± 0,50	0,80
18	24	± 0,55	0,88
24	30	± 0,60	0,96
30	40	± 0,70	1,12
40	50	± 0,80	1,28
50	64	± 0,90	1,44
64	80	± 1,00	1,60
80	100	± 1,30	2,08
100	120	± 1,50	2,40
120	140	± 1,80	2,88
140	150	± 2,10	3,36

Unidades em mm
Conforme NBR 11294

*Valores referenciais

